

### AMENDMENTS TO THE CLAIMS

Please amend the Claims as follows. Insertions are shown underlined while deletions are ~~struck through~~.

1-11. (Canceled)

12. (Previously presented) The method of claim 24 wherein the administration is selected from the group consisting of orally, intravenously, topically, intramuscularly, intracutaneously, subcutaneously, intraperitoneally, and by aerosolization.

13. (Previously presented) The method of claim 12, wherein the administration is orally, admixed with a food product.

14. (Previously presented) The method of claim 13, wherein the food product is selected from the group consisting of: juice, soft drinks, teas, powdered soups, jelly, cookies, biscuits, cereal, crackers, candy, breads, noodles, fish paste, chewing gum, ice cream, and chocolate.

15. (Previously presented) The method of claim 24 wherein the administration is between one and 4 doses per day.

16-23. (Canceled)

24. (Previously presented) A method for treating human pollinosis in a subject, comprising: administering kaempferol-3-glucoside in an effective amount to a subject who suffers from pollinosis.

25-27. (Canceled)

28. (Previously presented) A method for treating human pollinosis in a subject, comprising: administering kaempferol-3-glucoside in an amount of about 0.48 mg per day per adult to about 2 g per day per adult to a subject who suffers from pollinosis.

29. (Previously presented) A method for treating human pollinosis in a subject, comprising: administering kaempferol-3-glucoside in an amount of about 0.025 to about 3 mg per day per kg of body weight to a subject who suffers from pollinosis.

30. (Previously presented) The method of Claim 29, wherein said kaempferol-3-glucoside is administered in an amount of about 0.05 to about 1.5 mg per day per kg of body weight to a subject who suffers from pollinosis.

31. (New) The method of claim 28 wherein the administration is selected from the group consisting of orally, intravenously, topically, intramuscularly, intracutaneously, subcutaneously, intraperitoneally, and by aerosolization.

32. (New) The method of claim 31, wherein the administration is orally, admixed with a food product.

33. (New) The method of claim 32, wherein the food product is selected from the group consisting of: juice, soft drinks, teas, powdered soups, jelly, cookies, biscuits, cereal, crackers, candy, breads, noodles, fish paste, chewing gum, ice cream, and chocolate.

34. (New) The method of claim 28 wherein the administration is between one and 4 doses per day.

35. (New) The method of claim 29 wherein the administration is selected from the group consisting of orally, intravenously, topically, intramuscularly, intracutaneously, subcutaneously, intraperitoneally, and by aerosolization.

36. (New) The method of claim 35, wherein the administration is orally, admixed with a food product.

37. (New) The method of claim 36, wherein the food product is selected from the group consisting of: juice, soft drinks, teas, powdered soups, jelly, cookies, biscuits, cereal, crackers, candy, breads, noodles, fish paste, chewing gum, ice cream, and chocolate.

38. (New) The method of claim 29 wherein the administration is between one and 4 doses per day.

39. (New) The method of Claim 24, wherein said subject has previously experienced pollinosis.

40. (New) The method of Claim 24, wherein said administering begins before the start of the pollen season.

41. (New) The method of claim 24, wherein the administration is orally, in chewable tablet form.

42. (New) The method of claim 24, wherein the administration is orally, in liquid form.